Human-Oriented Robotics

Temporal Reasoning

Part 3/3

Kai Arras

Social Robotics Lab, University of Freiburg

Winter term 2014/2015

Contents

- Introduction
- Temporal Reasoning
- Hidden Markov Models
- Linear Dynamical Systems
- Kalman Filter
- Extended Kalman Filter
- Tracking and Data Association

Introduction

- Detection is knowing the presence of an object, possibly with some attribute information
- Tracking is estimating the state of a moving object over time based on remote measurements
- Tracking also involves maintaining the identity of an object over time despite detection errors (FN, FP) and the presence of other objects
- Tracking may involve estimating the state of several objects at a time. This
 gives rise to origin uncertainty, that is, uncertainty about which object
 generated which observation
- Data association addresses the origin uncertainty problem. It's the process
 of associating uncertain measurements to known tracks
- Data association may involve interpreting measurements as new tracks, false alarms or misdetections and tracks as occluded or terminated




Introduction

Imagine watching a rare exotic bird flying through dense jungle foliage



- You can only glimpse brief, intermittent flashes of motion
- Occlusion from foliage and trees makes it hard to guess where the bird is and where it will appear next
- There are many birds, they may even look alike
- It is hard to differentiate between bird and background

Introduction: Applications



air traffic control




fleet management




maritime surveillance and port traffic control



surveillance










Introduction

- Problem Statement of Tracking:
 - Given an LDS model with parameters transition model, observation model and prior, we want to compute state estimates in a way that their accuracy is higher than the raw measurements and that they contain information not available in the measurements (e.g. identity, velocity, or accelerations)



Introduction

- Error Types
 - Uncertainty in the values of measurements ("noise").
 Solution: filtering
 - Uncertainty in the **origin of measurements** due to false alarms, multiple targets, or decoys and countermeasures.

Solution: data association

Tracking = Data association + Filtering



Introduction: Problem Types

- Track stage (track "life cycle")
 - Track formation (initialization)
 - Track maintenance (continuation)
 - Track termination (deletion)

Number of sensors

- Single sensor
- Multiple sensors

Sensor characteristics

- Detection probability P_D (true positive rate)
- False alarm rate P_F (false positive rate)

Target behavior

- Non-maneuvering (straight or quasi-straight motion)
- Maneuvering (makes turns, stops, etc.)

Number of targets

- Single target
- Multiple targets

Target size

- Point-like target
- Extended target
- Groups of targets



Introduction: Track Stage

Formation

- When to create a new track?
- What is the initial state?
- Greedy initialization heuristics
 - Every observation that cannot be associated is a new track
 - Initialize position from observation, heuristics for derivatives e.g. velocity
- Lazy initialization
 - Wait and look for sequences of unassociated observations
 - Initialize position and higher order derivatives from sequence

Occlusion vs. Deletion

- When to delete a track?
- Or is it just occluded?
- Greedy deletion heuristics
 - Delete track as soon as no observation can be associated to it
 - No occlusion handling
- Lazy deletion
 - Delete if no observation can be associated for several time steps
 - Implicit occlusion handling



Introduction: Tracking Algorithms

- Single non-maneuvering target, no origin uncertainty
 - Kalman filter (KF) or extended Kalman filter (EKF)
- Single maneuvering target, no origin uncertainty
 - KF/EKF with variable process noise
 - Multiple model approaches (MM)
- Single non-maneuvering target, origin uncertainty
 - KF/EKF with nearest/strongest neighbor data association
 - Probabilistic data association filter (PDAF)
- Single maneuvering target, origin uncertainty
 - Multiple model-PDAF (MM-PDAF)

Introduction: Tracking Algorithms

- Multiple non-maneuvering targets
 - Joint probabilistic data association filter (JPDAF)
 - Multiple hypothesis tracker (MHT)
 - Markov chain Monte Carlo data association (MCMCDA)
- Multiple maneuvering targets
 - MM-variants of MHT (e.g. IMMMHT)
 - MM-variants of other data association techniques

 Other Bayesian filtering schemes such as particle filters have also been successfully applied to the tracking problem. They are currently not covered here. See references.

- We have already seen the statistical compatibility test in the Kalman filter cycle:
 - 1. Predict measurement based on the predicted track state.


 This gives an area in sensor coordinates where to expect the next observation.
 - Make observations.Observations may be raw sensory data or the output of a target detector
 - 3. Check if the actual measurement lies close to the predicted measurement in terms of the squared Mahalanobis distance. If the distance is smaller than a threshold from a cumulative χ^2 distribution, then they form a **pairing** or **match**
- The area around the predicted measurement in which pairings are accepted is called validation gate or validation region
- This procedure is also called validation gaiting or simply gaiting
- Let us take a closer look at the validation gate



Validation Gate

What makes this a difficult problem:

- Multiple targets.
 May lead to association ambiguity when several measurements are in the gate
- False alarms
 (false positives)
- Detection uncertainty, occlusions, misdetections (false negatives)



• The validation test implies that measurements $\mathbf{z}(k+1)$ are distributed according to a Gaussian distribution, centered at the measurement prediction $\hat{\mathbf{z}}(k+1)$ with covariance S(k+1). Skipping time indices,

$$p(\mathbf{z}) = \mathcal{N}_{\mathbf{z}}(\hat{\mathbf{z}}, S)$$

- This assumption is called measurement likelihood model
- Then, with $d^2 = \nu^T S^{-1} \nu$ being the squared Mahalanobis distance of a pairing, measurements will be in the area

$$\mathcal{V}(\gamma) = \{ \mathbf{z} : d^2 \le \gamma \}$$

with a probability defined by the gate threshold γ

This area is the validation gate

- The shape of the validation gate is a hyperellipsoid
- This follows from the measurement likelihood model set to

$$c = \frac{1}{(2\pi)^{D/2} |\Sigma|^{1/2}} \exp\left\{-\frac{1}{2}\nu^T S^{-1}\nu\right\}$$

leading to $c' = \nu^T S^{-1} \nu$ which describes a **conic section** in matrix form

$$\mathbf{x}^T \mathbf{Q} \mathbf{x} = 0 \qquad \mathbf{x} = \begin{pmatrix} x \\ y \\ 1 \end{pmatrix} \qquad \mathbf{Q} = \begin{pmatrix} A & B & D \\ B & C & E \\ D & E & F \end{pmatrix}$$

 The validation gate is an iso-probability contour obtained when intersecting a Gaussian with a hyperplane

- Why a χ^2 distribution?
- We remember that if several x's form a set of k i.i.d. standard normally distributed random variables

$$x_i \sim \mathcal{N}_{x_i}(0,1)$$

Then, variable q with

$$q = \sum_{i=1}^{k} x_i^2$$

follows a χ^2 distribution with k degrees of freedom

 We will now show that the Mahalanobis distance is a sum of squared standard normally distributed random variables

- Assume 1-dimensional observations and $\mu = \hat{z}(k+1), \ \sigma^2 = S(k+1)$
- The 1-dimensional Mahalanobis distance is then

$$d^{2} = (z - \mu)^{T} \left(\sigma^{2}\right)^{-1} \left(z - \mu\right) = \frac{(z - \mu)^{2}}{\sigma^{2}}$$

• By changing variables $y = \frac{(z - \mu)}{\sigma}$, we have

$$y \sim \mathcal{N}_y(0,1)$$

• Thus, $d^2=y^2$ and is χ^2 distributed with 1 degree of freedom

- Assume n-dimensional observations and $m{\mu} = \hat{\mathbf{z}}(k+1), \; \Sigma = S(k+1)$
- The n-dimensional Mahalanobis distance is then

$$d^2 = (\mathbf{z} - \boldsymbol{\mu})^T \Sigma^{-1} (\mathbf{z} - \boldsymbol{\mu})$$

• By changing variables $\mathbf{y}=C^{-1}\left(\mathbf{z}-\boldsymbol{\mu}\right)$ with $\Sigma=C\cdot C^T$, we have $\mathbf{y}\sim\mathcal{N}_{\mathbf{y}}(0,\mathbf{I})$ and therefore

$$d^2 = \mathbf{y}^T \mathbf{I} \mathbf{y} \quad \Rightarrow \quad d^2 = \sum_{i=1}^k y_i^2$$

which is χ^2 distributed with k degrees of freedom

ullet C is obtained from a Cholesky decomposition

- Where does the **threshold** γ come from?
- γ is typically written as $\chi^2_{k,\alpha}$. The value is taken from the inverse χ^2 cumulative distribution at a level α and k degrees of freedom
- The values are typically given in tables, e.g. in statistics textbooks or by the Matlab function chi2iny
- Given the level α , we can now understand the interpretation of the validation gate


The validation gate is a **region of acceptance** such that $100(1-\alpha)\%$ of **true measurements** are **rejected**

• Typical values for lpha are 0.95 or 0.99



Validation Gate


- How does the Mahalanobis distance look geometrically?
- Euclidian distance accounts for
 - Position
 - Uncertainty
 - Correlations
- It seems that 1-a and 2-b belong together



▲ Observations

+ Measurement predictions


- How does the Mahalanobis distance look geometrically?
- Mahalanobis distance with spherical covariance matrices accounts for
 - Position
 - Uncertainty
 - Correlations
- Now 2-b is furthest away. It seems that 1-a belong together, situation for 2 and b unclear





Validation Gate


- How does the Mahalanobis distance look geometrically?
- Mahalanobis distance accounts for
 - Position
 - Uncertainty
 - **☑** Correlations
- It's actually 2-a and 1-b that belong together!
- Mahalanobis distance can be seen as a generalization of the Euclidian distance



Observations

+ Measurement predictions


- False alarms (a.k.a. false positives, false detections) may come from sensor imperfections, detector failures, or clutter
- Clutter is unwanted echoes such as atmospheric turbulences. Originates from the "classical" radar tracking domain
- So, what's inside the gate
 - A measurement from the tracked object?
 - A false alarm?
- How to model false alarms?
 - Uniform over the sensor field of view
 - Independent across time



- Assume (temporarily) that the **sensor field of view** V is discretized into N discrete cells c_i , i=1,...,N (like pixels)
- In each cell, false alarms occur with probability P_F
- Assume independence of false alarm events across cells
- The occurrence of false alarms is a Bernoulli process with probability of success P_F (flipping an unfair coin)
- Then, the number of false alarms m_F per time step follows a binomial distribution

$$p(m_F) = \binom{N}{m_F} P_F^{m_F} (1 - P_F)^{N - m_F}$$

with expected value $E[m_F] = N \cdot P_F$




ullet Let the **spatial density** λ be the number of false alarms over space

$$\lambda = rac{\mathrm{E}[m_F]}{V} = rac{N \cdot P_F}{V}$$
 [occurences per m²]

• If $P_F \ll 1$ and $N \to \infty$, that is, we reduce the cell size and approach the continuous case, then the above Binomial becomes a **Poisson distribution**

$$\mu(m_F) = e^{-\lambda V} \frac{(\lambda V)^{m_F}}{m_F!}$$

• This is the probability mass function of the number of false alarms in the volume V in terms of the spatial density λ



- The $\it spatial$ $\it distribution$ of false alarm is, based on the same assumptions, uniform over the sensor field of view $\it V$
- Thus, the density of the location of of a false alarm is

$$p(z \mid z \text{ is a false alarm}) = \frac{1}{V}$$

- In practice, this distribution may be **non-uniform** when P_F , and consequently λ , vary over space (e.g. detector performance varies in front of different backgrounds)
- Persistent sources of false alarms or clutter may also exist (e.g. from reflections, emitters, or background objects with target-like appearance)
- One approach is to learn a background model




Single-Target Data Association

Assumptions

- A **single** target to track
- Track already initialized
- Detection probability P_D < 1
- False alarm probability $P_F > 0$

Two groups of approaches

- Non-Bayesian: no association probabilities
 - Nearest neighbor standard filter (NNSF)
 - Strongest neighbor standard filter (SNSF)
 - Track splitting filter
- Bayesian: computes association probabilities
 - Probabilistic data association filter (PDAF)



Nearest Neighbor Standard Filter (NNSF)

- In each step
 - 1. Compute Mahalanobis distance to all measurement
 - 2. Validate the measurements by gaiting
 - 3. Accept the **closest** validated measurement
 - 4. Update the track as if it were the correct one
- With some probability the selected measurement is not the correct one
- Incorrect associations can lead to
 - overconfident covariances (covariances collapse in any case)
 - filter divergence and track loss



Strongest Neighbor Standard Filter (SNSF)

- In each step
 - 1. Compute Mahalanobis distance to all measurement
 - 2. Validate the measurements by gaiting
 - 3. Accept the **strongest** validated measurement
 - 4. Update the track as if it were the correct one
- This technique makes sense if there is a confidence measures or signal strength associated with each measurement
- A conservative variant of NNSF and SNSF is to not associate in case of ambiguities ("waiting for better weather")


Track Splitting Filter

- In each step
 - 1. When there is more than one measurement in the validation gate, **split the track**
 - 2. Update each split track with the standard Kalman filter equation
 - 3. Compute the **likelihood** of each track
 - 4. Take a **keep/discard decision** by thresholding the likelihood
- Exponential growth of number of tracks, unlikely tracks are discarded
- The track likelihood describes the goodness of fit of the observations to the assumed target model
- There is no competition between the tracks because their likelihoods are computed separately and not jointly/globally



Single-Target Data Association

- The previous three approaches achieve decent performance in well-behaved conditions (detection probability P_D close to 1, false alarm probability P_F close to zero)
- What if conditions are more challenging in terms of origin uncertainty?
- This may occur when measurements that originate from target are weak with respect to background signals and sensor noise
- Integrating false measurements in a tracking filter leads to divergence and track loss
- Let us thus consider a more robust method





Probabilistic Data Association Filter


- Unlike the previous three approaches, the probabilistic data association filter (PDAF) is a Bayesian approach that computes the
 - probability of track-to-measurement associations
- Idea: Instead of taking a hard decision, the PDAF updates the track with a weighted average of all validated measurements
- The weights are the individual association probabilities
- Let us define the association events $\theta_i(k)$

$$\theta_i(k) = \begin{cases} \mathbf{z}_i(k) \text{ is the correct measurement} & i = 1, \dots, m(k) \\ \text{no correct measurement in gate} & i = 0 \end{cases}$$


where m(k) is the number of validated measurements at time index k




- The PDAF makes the following assumptions:
- Among the m(k) validated measurements, at most (i.e. maximal) one of the validated observations is target-originated provided the target (the tracked object) was detected and its observation fell into the validation gate
- The remaining measurements are due to false alarms and are modeled with uniform spatial distribution and the number of false alarms obeys a Poisson distribution (the previously considered false alarm model)
- Targets are detected with known probability P_D
- Later, we will also consider track-specific probabilities $P_D^{\,t}$



We can visualize association events in a tree





Each root-to-leaf branch can be seen as an association hypothesis

- For each association event $\theta_i(k)$, we define the **association probability** $\beta_i = p(\theta_i \mid Z^k)$ conditioned on Z^k , the observation history until time k
- It can be shown that this becomes (derivation skipped)

$$p(\theta_i | Z^k) = \beta_i(k) = \begin{cases} \frac{\mathcal{L}_i(k)}{1 - P_D P_G + \sum_{j=1}^{m(k)} \mathcal{L}_i(k)} & i = 1, \dots, m(k) \\ \frac{1 - P_D P_G}{1 - P_D P_G} & i = 0 \end{cases}$$

where

$$\mathcal{L}_i(k) = \frac{P_D \, \mathcal{N}_{\mathbf{z}_i(k)}(\hat{\mathbf{z}}(k), S(k))}{\lambda}$$

is the **likelihood ratio** of validated measurement $\mathbf{z}_i(k)$ originating from the tracked object rather than being a false alarm

• For an interpretation of this result, let us ignore the normalizing denominators and consider the event that **none** of the validated measurements is the correct one, that is i = 0

$$\beta_0(k) = \frac{1 - P_D P_G}{1 - P_D P_G + \sum_{i=1}^{m(k)} \mathcal{L}_i(k)}$$

- Parameter P_G is the **gate probability**, the probability that the gate contains the true measurement if detected. Given by threshold γ
- P_DP_G is the probability that the target has been detected **and** its measurement has fallen into the validation gate
- Thus, $1-P_DP_G$ is the probability that the target has not been detected **or** its measurement has not fallen into the validation gate

• In the case that validated measurement $\mathbf{z}_i(k)$ with $i = \{1, ..., m(k)\}$ is the **correct one**, the likelihood ratio

$$\mathcal{L}_i(k) = \frac{P_D \, \mathcal{N}_{\mathbf{z}_i(k)}(\hat{\mathbf{z}}(k), S(k))}{\lambda}$$

trades off the probability that the measurement is target-originated with Gaussian density scaled by P_D versus the spatial uniform Poisson density for false alarms

- The discrimination capability of the PDAF relies on the difference between the Gaussian and uniform densities
- The association probabilities sum up to one, $\sum_{i=1}^{m(k)} \beta_i(k) = 1$, because the association events are **mutually exclusive** and **exhaustive**



- We will now consider the state and the covariance update of the PDAF
- The state update equation of the PDAF is the same as in the Kalman filter


$$\mathbf{x}(k|k) = \mathbf{x}(k|k-1) + K(k)\,\nu(k)$$

but uses a **combined innovation**

$$\nu(k) = \sum_{i=1}^{m(k)} \beta_i(k) \, \nu_i(k)$$

that sums over all m(k) association events incorporating all validated measurements

The combined innovation is a Gaussian mixture



$$\nu_1(k) = \mathbf{z}_1(k) - \hat{\mathbf{z}}(k)$$

$$\nu_2(k) = \mathbf{z}_2(k) - \hat{\mathbf{z}}(k)$$

$$\nu_3(k) = \mathbf{z}_3(k) - \hat{\mathbf{z}}(k)$$

With the combined innovation, the covariance update of the PDAF is

$$P(k|k) = \beta_0 P(k|k-1) + (1-\beta_0) P(k|k) + \tilde{P}(k)$$


- It contains three terms (derivation skipped)
 - With probability β_0 none of the measurements is correct, the predicted covariance appears with this weighting ("no update")
 - With probability $(1-\beta_0)$ the **correct** measurement is available and the posterior covariance appears with this weighting
 - Since it is unknown which if the m(k) validated measurements is correct, the term \tilde{P} increases the covariance of the updated state. This increase is the effect of the measurement origin uncertainty
- Covariance \tilde{P} is the called **spread of innovations**

Probabilistic Data Association Filter

- All other calculations in the PDAF
 - state prediction
 - state covariance prediction
 - innovation covariance
 - Kalman gain
 - are the same as in the standard Kalman filter
- The only difference is in the use of the combined innovation in the state update and, as a consequence, the increased covariance of the updated state
- Comparing to the nearest neighbor standard filter, the PDAF can be seen as an "all neighbors" filter
- The computational requirements of the PDAF are modest, about double compared to the Kalman filter




Example results



- Tracking in the presence of false alarms and misdetections
- At k = 3 there is no target detection but a false alarm
- The PDAF, accounting for the origin uncertainty, attaches a low probability that this measurement is target originated and, consequently, its prediction covariance in the next step is very large
- The NNSF tracker uses the false measurement as if it were true one and loses the target




Example results



Number of false measurements in NNSF validation gate

- Tracking in the presence of false alarms and misdetections
- The PDAF allows reliable tracking up to a clutter level of two false alarms in the validation gate, at which level the NNSF tracker has a track loss probability of about 30%

Example results



Single-Target Data Association: Wrap Up

- NNSF
 - The NNSF takes hard association decisions. These hard decisions are sometimes correct and sometimes wrong
 - NNSF is simple to implement and works well in well-behaved conditions
- Track splitting filter
 - Instead of taking association decisions, the track splitting filter grows a tree of tracks from association ambiguities and relies on the track likelihood as a goodness of fit measure for pruning. Rarely used in practice

PDAF

- The PDAF makes soft decisions, it averages over all validated association possibilities.
 This soft decision is never totally correct but never totally wrong. This is why the PDAF is a suboptimal strategy
- Compared to the NNSF, the PDAF can significantly improve tracking in regions of high false alarm densities




Multi-Target Data Association

Assumptions

- Multiple targets to track
- Tracks already initialized
- Detection probability $P_D < 1$
- False alarm probability $P_F > 0$

Two groups of approaches

- Non-Bayesian: no association probabilities
 - Nearest neighbor standard filter (NNSF)
 - Global nearest neighbor standard filter (GNN)
- Bayesian: computes association probabilities
 - Joint probabilistic data association filter (JPDAF)
 - Multiple hypothesis tracking (MHT)
 - Markov chain Monte Carlo data association (MCMCDA)



Nearest Neighbor Standard Filter

- Let us revisit the NNSF for multiple targets
- We introduce the assignment matrix

$$A = [d_{ij}^2]$$


with

$$d_{ij}^2 = \nu_{ij}(k)^T S_{ij}(k)^{-1} \nu_{ij}(k)$$

For the shown example

observations

$$A = \frac{3}{5} \begin{pmatrix} d_{11}^2 & d_{12}^2 & d_{13}^2 & d_{14}^2 & d_{15}^2 & d_{16}^2 \\ d_{21}^2 & d_{22}^2 & d_{23}^2 & d_{24}^2 & d_{25}^2 & d_{26}^2 \end{pmatrix}$$



2 tracks6 observations

Nearest Neighbor Standard Filter

- In each step
 - 1. Build the assignment matrix $A = [d_{ij}^2]$
 - 2. Iterate as long as closest pairing passes the gaiting test
 - Find the **closest** pairing in A
 - Remove the row and column of that pairing
 - 3. Update all tracks as if the associations were the correct ones
 - 4. Unassociated tracks can be used for track deletion, unassociated observations can be used for track initialization
- Problem: generally does not find the global minimum (greedy algorithm)
- Conservative variant: no association in case of ambiguities

Global Nearest Neighbor Standard Filter (GNN)

- In each step
 - 1. Build the assignment matrix $A = [d_{ij}^2]$
 - 2. Solve the linear assignment problem

$$\min \sum_{i} d_{ij}^2 \cdot x_{ij} \quad \text{with} \quad x_{ij} \in \{0, 1\}$$

$$\sum_{i} x_{ij} = 1 \quad \sum_{i} x_{ij} = 1$$

- Hungarian method for square matrices
- Munkres algorithm for rectangular matrices
- 3. Check if assignments are in the validation gate and, if yes, update
- Performs data associations jointly, finds global optimum



Global Nearest Neighbor Standard Filter (GNN)

Linear assignment problem

- The linear assignment problem is a standard problem in linear programming and combinatorial optimization
- Used to find, for example, the best assignment of n differently qualified workers to n jobs
- Also called "the personnel assignment problem", first solutions in the 1940s
- By today, many efficient solution methods exist. The Hungarian method – while not the most efficient one – is still popular
- The problem can also be solved for non-square matrices by Munkres' algorithm



Global Nearest Neighbor Standard Filter (GNN)

Linear assignment problem

• **Problem statement:** We are given an $n \times n$ cost matrix $C = [c_{ij}]$, and we want to select n elements of C, so that there is exactly one element in each row and one in each column


$$\sum_{i} x_{ij} = 1 \qquad \sum_{j} x_{ij} = 1$$


and the sum of the corresponding costs

$$min \sum d_{ij}^2 \cdot x_{ij} \qquad \text{with} \qquad x_{ij} \in \{0, 1\}$$

is a minimum

• Example: assigning students to class projects








Global Nearest Neighbor Standard Filter (GNN)


NNSF versus GNN example



What is the globally best assignment?

Global Nearest Neighbor Standard Filter (GNN)


NNSF versus GNN example



NNSF: greedy

Global Nearest Neighbor Standard Filter (GNN)


NNSF versus GNN example



Gaiting will reject this assignment

Global Nearest Neighbor Standard Filter (GNN)

NNSF versus GNN example



Global NNSF: Jointly optimal




Joint Probabilistic Data Association Filter (JPDAF)

- Despite its joint optimization, the GNN makes hard decisions. Its
 performance is likely to degrade under more challenging conditions
- Looking for a way to make soft decisions, the joint probabilistic data association filter (JPDAF) is a natural multi-target extension of the PDAF
- The difference between PDAF and JPDAF lies in the definition of the association events and their probability: the JPDAF considers joint association events
- It has the same state update expressions as the PDAF:
 Given probabilities of joint association events as weights, the JPDAF
 updates the track states with the combined innovation over all validated
 measurements and the track covariances with the spread of innovations
 term that accounts for the measurement origin uncertainty

Joint Probabilistic Data Association Filter (JPDAF)


 In this example, the PDAF would define three disjoint trees of data association events, one for each track






Joint Probabilistic Data Association Filter (JPDAF)

The JPDAF defines a single tree of joint association events





Joint Probabilistic Data Association Filter (JPDAF)


• It can be shown that the **probability** of a **joint association event** θ is


$$p(\theta(k) \mid Z^k) = \eta \cdot \lambda^{m_{FA}(k)} \prod_{t \in \mathcal{T}_D} P_D^t \, \mathcal{N}_{\mathbf{z}_{j_t}(k)}(\hat{\mathbf{z}}_t(k), S_t(k)) \prod_{t \in \mathcal{T}_{ND}} (1 - P_D^t P_G^t)$$
 all false all associated alarms in θ all associated targets in θ all non-associated targets in θ

- λ is the Poisson density of false alarms
- P_D^t is the **track-specific** detection probability of track t
- P_G^t is the known gate probability of track t
- $\mathcal{N}_{\mathbf{z}_{j_t}(k)}(\hat{\mathbf{z}}_t(k), S_t(k))$ is the measurement likelihood of observation j_t given track t

Joint Probabilistic Data Association Filter (JPDAF)

The JPDAF defines a single tree of joint association events





where
$$l_{ij} = P_D^j \mathcal{N}_{\mathbf{z}_i}(\hat{\mathbf{z}}_j, S_j)$$
 and $\bar{l}_j = (1 - P_D^j P_G^j)$



Joint Probabilistic Data Association Filter (JPDAF)


- For the state update of track t we require the marginal association probability $\beta_{jt} = p(\theta_{jt}|Z^k)$. This is the probability that a particular observation j originates from track t
- Obtained by marginalization of the joint association probability
- The marginal association probability β_{jt} are then the weights in the combined innovation for state and state covariance updates
- The JPDAF assumes the number of tracks to be known. Thus, a separate track initiation logic must run along to create new tracks
- JPDAF is the soft decision equivalent of the GNN in the same way that the PDAF is a soft version of the NNSF
- However, JPDAF collapses the hypothesis trees after each step




Multi-Target Data Association


- All data association methods considered so far are single-frame or single-scan. Decisions – hard or soft – are taken after each step
- This is a rather myopic strategy and likely to fail in challenging conditions where, for example, misdetections have to be distinguished from occlusion events in the presence of both false alarms and target maneuvers
- Thus, we want to delay decisions and accumulate information to the point where we can take more informed decisions ("integrating information over time")
- This implies the maintenance of multiple histories/sequences of hypothetical data association decisions
- The multiple hypothesis tracking (MHT) approach implements this idea in a general way

The MHT considers the association of sequences of observations




observation sequence






possible explanation



possible explanation


Multiple Hypothesis Tracking (MHT)

The MHT concatenates the trees of each step to one big hypothesis tree



Multiple Hypothesis Tracking (MHT)

The MHT concatenates the trees of each step to one big hypothesis tree



Multiple Hypothesis Tracking (MHT)

- The number of association histories increases exponentially and results in an ever-growing hypothesis tree
- For practical implementations, **pruning** strategies are mandatory
- Without pruning, the MHT approach is the optimal Bayesian data association solution (no simplifications or approximations)
- In addition to the measurement-to-track associations, the MHT can reason about track interpretations as
 - occluded (label O)
 - deleted (label T)

and measurement interpretations as


- false alarms (label FA or F)
- new tracks (label N)
- New tracks are also modeled as spatially uniform, Poisson in the number



Multiple Hypothesis Tracking (MHT)

- In this way, the MHT can deal with the entire life cycle of tracks initialization—confirmation—occlusions—deletion in a probabilistically consistent way
- No need for an additional track management logic (for initialization or deletion)
- Let an **association hypothesis** or simply **hypothesis** Ω^k be a root-to-leaf path through the entire tree until time k
- What is then the best hypothesis?
 - Compute probabilities of all hypotheses, obtain a discrete probability distribution over hypotheses
 - Search through all hypotheses and find the best one as the one with the highest probability

Let us consider the probability of a hypothesis. We define



- Parent hypothesis p(i) $\Omega_{p(i)}^{k-1}$
- Association or assignment set $\theta_i(k)$
- Child hypothesis i Ω_i^k
- Their **relation** $\Omega_i^k = \{\Omega_{p(i)}^{k-1}, \theta_i(k)\}$



Multiple Hypothesis Tracking (MHT)

- Let further $Z(k) = \{\mathbf{z}_i(k)\}_{i=1}^{m(k)}$ be the set of current observations and Z^k the observation history up to time k
- Then the **probability** of Ω_i^k at time k is

$$\begin{split} p(\Omega_i^k|Z^k) &= p(\theta_i(k), \Omega_{p(i)}^{k-1}|Z^k) \\ &= p(\theta_i(k), \Omega_{p(i)}^{k-1}|Z(k), Z^{k-1}) & \text{dividing up the evidence} \\ &= p(\Omega_{p(i)}^{k-1}|Z(k), Z^{k-1}) \ p(\theta_i(k)|\Omega_{p(i)}^{k-1}, Z(k), Z^{k-1}) & \text{chain rule} \\ &= p(\theta_i(k)|Z(k), Z^{k-1}, \Omega_{p(i)}^{k-1}) \ p(\Omega_{p(i)}^{k-1}|Z^{k-1}) & \text{conditional indep.} \\ &= \eta \ p(Z(k)|\theta_i(k), Z^{k-1}, \Omega_{p(i)}^{k-1}) \ p(\theta_i(k)|Z^{k-1}, \Omega_{p(i)}^{k-1}) \ p(\Omega_{p(i)}^{k-1}|Z^{k-1}) & \text{Bayes} \\ &= \eta \ p(Z(k)|\theta_i(k), \Omega_{p(i)}^{k-1}) \ p(\theta_i(k)|\Omega_{p(i)}^{k-1}) \ p(\Omega_{p(i)}^{k-1}|Z^{k-1}) & \text{conditional indep.} \end{split}$$



Multiple Hypothesis Tracking (MHT)

- Let further $Z(k) = \{\mathbf{z}_i(k)\}_{i=1}^{m(k)}$ be the set of current observations and Z^k the observation history up to time k
- Then the **probability** of Ω_i^k at time k is

$$\begin{split} p(\Omega_{i}^{k}|Z^{k}) &= p(\theta_{i}(k), \Omega_{p(i)}^{k-1}|Z^{k}) \\ &= p(\theta_{i}(k), \Omega_{p(i)}^{k-1}|Z(k), Z^{k-1}) \\ &= p(\Omega_{p(i)}^{k-1}|Z(k), Z^{k-1}) \; p(\theta_{i}(k)|\Omega_{p(i)}^{k-1}, Z(k), Z^{k-1}) \\ &= p(\theta_{i}(k)|Z(k), Z^{k-1}, \Omega_{p(i)}^{k-1}) \; p(\Omega_{p(i)}^{k-1}|Z^{k-1}) \\ &= \eta \; p(Z(k)|\theta_{i}(k), Z^{k-1}, \Omega_{p(i)}^{k-1}) \; p(\theta_{i}(k)|Z^{k-1}, \Omega_{p(i)}^{k-1}) \; p(\Omega_{p(i)}^{k-1}|Z^{k-1}) \\ &= \eta \; p(Z(k)|\theta_{i}(k), \Omega_{p(i)}^{k-1}) \; p(\theta_{i}(k)|\Omega_{p(i)}^{k-1}) \; p(\Omega_{p(i)}^{k-1}|Z^{k-1}) \\ &= \eta \; p(Z(k)|\theta_{i}(k), \Omega_{p(i)}^{k-1}) \; p(\theta_{i}(k)|\Omega_{p(i)}^{k-1}) \; p(\Omega_{p(i)}^{k-1}|Z^{k-1}) \\ &= \eta \; p(Z(k)|\theta_{i}(k), \Omega_{p(i)}^{k-1}) \; p(\theta_{i}(k)|\Omega_{p(i)}^{k-1}) \; p(\Omega_{p(i)}^{k-1}|Z^{k-1}) \\ &= \eta \; p(Z(k)|\theta_{i}(k), \Omega_{p(i)}^{k-1}) \; p(\theta_{i}(k)|\Omega_{p(i)}^{k-1}) \; p(\Omega_{p(i)}^{k-1}|Z^{k-1}) \end{split}$$

The measurement likelihood (derivation skipped)

$$p(Z(k)|\theta_i(k),\Omega_{p(i)}^{k-1}) = \frac{1}{V^{m_F(k)+m_N(k)}} \prod_{i=1}^{m(k)} \mathcal{N}_{\mathbf{z}_i(k)}(\hat{\mathbf{z}}_{t_i}(k),S_{t_i}(k))^{\tau_i}$$
 measurement likelihood

• If observation $\mathbf{z}_i(k) \in Z(k)$ is **in the gate** of track t_i

$$p(\mathbf{z}_i(k)|\theta_i(k), \Omega_{p(i)}^{k-1}) = \mathcal{N}_{\mathbf{z}_i(k)}(\hat{\mathbf{z}}_{t_i}(k), S_{t_i}(k))$$

• If observation $\mathbf{z}_i(k)$ is a **false alarm**

$$p(\mathbf{z}_i(k)|\theta_i(k), \Omega_{p(i)}^{k-1}) = V^{-1}$$

• If observation $\mathbf{z}_i(k)$ is a **new track**

$$p(\mathbf{z}_{i}(k)|\theta_{i}(k),\Omega_{p(i)}^{k-1})=V^{-1}$$

The association probability (derivation skipped)

$$p(\theta_i(k)|\Omega_{p(i)}^{k-1}) = \frac{m_F(k)!m_N(k)!}{m(k)!} \mu_F(m_F(k)) \mu_N(m_N(k)) \prod_{t=1}^{n_T(k)} (P_D^t)^{\delta_t} (1 - P_D^t)^{1-\delta_t}$$

association probability

- Computes the **prior probability** of association $\theta_i(k)$ based on known parameters such as probability of detection and Poisson densities for false alarms/new tracks
- The final expression

$$p(\Omega_i^k | Z^k) = \eta \cdot \lambda_F^{m_F(k)} \lambda_N^{m_N(k)} \prod_{t \in \mathcal{T}_D} P_D^t \, \mathcal{N}_{\mathbf{z}_{j_t}(k)}(\hat{\mathbf{z}}_t(k), S_t(k)) \prod_{t \in \mathcal{T}_{N_D}} (1 - P_D^t)$$
$$\cdot p(\Omega_{p(i)}^{k-1} | Z^{k-1})$$



Multiple Hypothesis Tracking (MHT)

- Note the similarity of the association probability in the MHT and JPDAF.
 The differences come from the ability of the MHT to interpret observations also as new tracks and the recursiveness of the computation
- The JPDAF creates only single-step trees and collapses them after each step by incorporating all validated observations over a combined innovation approach
- In the same situation, the MHT solves the data association ambiguity by splitting the track and creating offsprings
- But unlike the track splitting filter, the different offsprings compete with each other in a fully Bayesian framework
- MHT maintains a **standard** KF or EKF for each hypothesized track
- MHT takes hard, multiple and delayed decisions

There are several pruning techniques to limit the number of hypotheses

- Clustering spatially disjoint hypothesis trees
 - Tracks are partitioned into clusters along "uncoupled" observations
 - A separate tree is grown for each cluster

Merging hypotheses

- Combine hypotheses with **similar effect**, typically with a **common recent history**
- For example, the same number of targets but with slightly different track states

Eliminate low probability hypotheses

- A variant thereof is ratio pruning that considers the probability ratio with the best hypothesis. Unlikely hypothesis below a ratio threshold are discarded
- Caution! Branches that turn out to hold the true hypothesis at a later point may start with a very unlikely ancestor hypothesis

Multiple Hypothesis Tracking (MHT)

There are several pruning techniques to limit the number of hypotheses


K-best branching

- Directly generate the k-best hypotheses
- Murty's algorithm incorporates the generation and evaluation of hypotheses in a single algorithm with polynomial time complexity
- Implements a generate-while-prune versus a generate-then-prune strategy
- The most important pruning technique

• *N*-scan back pruning

- Ambiguities are assumed to be resolved after N steps
- Ancestor hypotheses at time k–N receive probability mass of their descendants at k
- Keep only subtree of the most probably ancestor hypothesis

• Example, showing only the 5-best hypotheses



ID: 73 (1)

Example, tree detail shows backtracking ID: 47 (0) p: 0.93 #0:2 #O: 2 #O: 2 T0: MAT1 (4.021) T0: OCC (0.25) T0: MAT1 (4.021) T0: MAT1 (4.021) T3: OCC (0.25) T3: MATO (3.069) T11: NEW0 (0.10) T3: MAT0 (3.069) T11: NEW0 (0.10) T12: NEW1 (0.10) T3: DEL (0.05) ID: 52 (0) ID: 53 (1) ID: 54(2) ID: 55 (3) #O: 2 #O: 2 #0:2 T0: OCC (0.25) T0: MAT1 (1.796) T3: MAT0 (2.413) T0: MAT1 (1.796) T0: MAT1 (1.796) T3: MAT0 (2.413) T3: OCC (0.25) T13: NEW1 (0.10) T14: NEW0 (0.10) T3: MATO (2.413) T13: NEW1 (0.10) T14: NEW0 (0.10) T0: DEL (0.05) T3: DEL (0.05) ID: 61 (4) ID: 57 (0) ID: 58 (1) ID: 59 (2) ID: 60 (3) p: 0.01 p: 0.00 p: 0.00 #0:1 #O: 1 #0:1 #0:1 T0: OCC (0.25) TO: MATO (2.586) T0: MAT0 (2.586) T0: MAT0 (2.586) TO: MATO (2.586) T3: OCC (0.25) T3: OCC (0.25) T3: OCC (0.25) T3: DEL (0.05) T14: OCC (0.25) T15: NEW0 (0.10) T14: OCC (0.25) ID: 65 (3) ID: 62 (0) ID: 63 (1) ID: 64(2) ID: 66 (4) p: 0.82 p: 0.16 p: 0.01 p: 0.00 p: 0.00 #O: 1 #O: 1 #O: 1 #O: 1 T0: MAT0 (2.881) T0: MAT0 (2.881) T0: OCC (0.25) T3: MAT0 (0.326) T0: MAT0 (2.881) T3: DEL (0.05) T3: MATO (0.326) T3: OCC (0.25) T0: DEL (0.05) ID: 69 (2) ID: 71 (4) ID: 68 (1) ID: 67 (0) p: 0.37 p: 0.09 #0:1 jump to a more T0: MAT0 (1.723) T3: OCC (0.25) T0: OCC (0.25) T0: MAT0 (1.723) T16: NEW0 (0.10) probable branch


ID: 72 (0)

p: 0.61

ID: 76 (4)




Example: Tracking people in RGB-D data





• Example: Tracking pedestrians in 3D point clouds



A Social Robotics Laboratory



Multiple Hypothesis Tracking (MHT)

- Example: Tracking pedestrian in Freiburg city center in 2D laser data
- Difficult scenario with track identifier switches mainly due to little information from sensor, frequent and long occlusion events







image data (not used for tracking)

Why We Teach This...

How to Escape a Rebellious Humanoid Robot?

- Run toward the light
- Find clutter to hide
- Hug a comrade, then dive into random direction
- Wear similar clothing
- Don't run in a predictable line, zigzag erratically
- Try to mix with the crowd
- Wear trenchcoat or long skirt to mask your movements
- Hop, skip or jump occasionally
- Vary rhythm and length of your stride



"How to Survive a Robot Uprising: Tips on Defending Yourself Against the Coming Rebellion," by Daniel H. Wilson, Bloomsbury 2005

Ask yourself which parts of the robot's tracking system is fooled by those actions



Summary

- Tracking is maintaining the state and identity of a moving object over time based on remote measurements
- An key issue in tracking is data association: the problem of associating measurements to tracks under significant levels of origin uncertainty. Data association also deals with the interpretation of measurements and tracks as false alarms/new tracks, or occluded/terminated
- The simplest form of data association (which can also be seen as a preprocessing step) is **gaiting**: the validation gate is a **region of** acceptance such that $100(1-\alpha)\%$ of true measurements are rejected
- False alarms (as well as new tracks) are modeled as uniform over space and Poisson distribution in their number per step
- The NNSF makes greedy associations based on smallest Mahalanobis distances. These hard decisions are sometimes correct, sometimes wrong



Summary

- The PDAF makes soft decisions by integrating all validated measurements in the gate. Decisions are never totally correct but never totally wrong
- For multi-target data association, the GNN makes hard but jointly optimal decisions by solving a linear assignment problem
- The JPDAF is the soft version of the GNN in the way that the PDAF is a soft version of the NNSF
- The JPDAF considers joint association events and computes their probability. State update is like in the PDAF using a combined innovation
- The MHT, the optimal data association algorithm without pruning, maintains a growing tree of association hypotheses. It makes hard but multiple decisions and delays them until more evidence has arrived
- Data association is a hard problem and currently an active area of research.
 A promising approach not covered here is MCMC data association.

Sources and Further Reading

These slides partly follow the books of Bar-Shalom et al. [1] and Blackman [6]. The JPDAF trees are inspired by the nice lecture notes of Orguner [3]. A brief, Al/machine learning view on data association is given by Russell and Norvig [2] (chapter 15.6). More on PDAF and JPDAF can be found in [4], in particular also application examples. A comprehensive treatment of particle filter-based tracking techniques is given in Ristic et al. [5].

- [1] Y. Bar-Shalom, X. Rong Li, T. Kirubarajan, "Estimation with Applications to Tracking and Navigation", Wiley, 2001
- [2] S. Russell, P. Norvig, "Artificial Intelligence: A Modern Approach", 3rd edition, Prentice Hall, 2009. See http://aima.cs.berkeley.edu
- [3] U. Orguner, "Target Tracking", Lecture notes, Linköpings University, 2010. See https://www.control.isy.liu.se/student/graduate/TargetTracking
- [4] Y. Bar-Shalom, F. Daum, and J. Huang, "The probabilistic data association filter," IEEE control system magazine, 29(6), Dec. 2009.
- [5] B. Ristic, S. Arulampalam, N. Gordon, "Beyond the Kalman Filter: Particle Filters for Tracking Applications" Artech House, 2004
- [6] S.S. Blackman, R. Popoli, "Design and Analysis of Modern Tracking Systems", Artech House, 1999